

	Date:
	Client:
	Project:



One-handle build-in mixer with ceramic disc technology with diverter.2471-081STUP = Mixer 2400F.2471-081STAP = Handle NR21, handle NR24G, hand shower and hand shower holder with non-return valve 070, hose 1500 mm, head shower 080ST, 60 mm circular flanges 001, 001G, 2001.

	Bar:	1.0	2.0	3.0	4.0	5.0
070 ¹⁾	(l/min)	5.2	7.3	9.0	9.0	9.0
080ST ²⁾	(l/min)	11.6	16.3	20.0	23.1	25.8


²⁾ USA: Flow restricted to 1.8 gpm (7.0 l/min)




	Color 20, Brushed chrome
Color 02, Grey	Color 21, Carmine red
Color 04, Light blue	Color 25, Pink
Color 05, Orange	Color 27, Matt black
Color 06, Light green	Color 28, Matt white
Color 08, Yellow	Color 40, Brushed stainless steel
Color 09, Dark grey	Color 60, Black
Color 12, Mocca	Color 61, Brushed black
Color 14, Bright red	Color 63, Copper
Color 15, Dark blue	Color 64, Brushed Copper
Color 16, Polished chrome	Color 65, Gold
Color 17, Gloss black	Color 68, Silver
Color 18, White	Color 70, Brushed Gold
Color 19, Natural brass	

**001**


60 mm circular flange. Hole Ø30 mm.

**001G**

60 mm circular flange. Hole Ø33 mm.



**070**

Hand shower, hand shower holder and hose with non-return valve.





**080ST**

Head shower, 500 mm.

**2001**

60 mm circular flange. Hole Ø39 mm.






200M


Separate outlet socket.

1/2" connection to copper, steel, iron or pex pipe work.




**2400FV**

One-handle build in mixer for high flow, with diverter, with one fixed outlet socket. ½" connection to copper, steel, iron or pex pipe work.

**NR21**

Operating handle for 2100, 2200, 2300, 2400 incl. variants. Ø43 mm.

**NR24**

Diverter handle for 2400 incl. variants. Ø43 mm. With black peg.

