




 **GODKENDT  
TIL DRIKKEVAND**

vola



705230 286211


[illegible]

VR968



200M

PEX1




The diagram shows a cross-section of a standard extension cord. It consists of a yellow section labeled "EXTENSION" and a red section labeled "STANDARD". The yellow section has markings for +10, +20, +30, +40, and +50 feet. A ruler below the cord indicates the length Y from the start of the extension section to the end of the standard section.

Fitting of extension  
Montage von verlängerung  
Montering af forlængerdele

VR1260+


VR2260+

VR2019+, VR2119+




VR1400+

400-2400




voic®



**2x13 mm** Lightweight wall  
Leichtwand  
Let væg

Lätta konstruktion  
Holle wandconstructie  
Construction légère




**1x15 mm**  
**1x18 mm**  
**1x20 mm**

**2x13 mm**


Lightweight wall  
Leichtwand  
Let væg

Lätta konstruktion  
Holle wandconstructie  
Construction légère



Masonry  
Mauerwerk  
Murværk

Murverk  
Massive wand  
Mur Plein



**2**








Test Pressure  
Prüfdruck  
testtryk  
Test tryck  
Test druk  
test de pression

Check the local legislation.  
Bitte die örtlichen Vorschriften überprüfen.  
Tjek de lokale regler.  
Kontrollera den lokala lagstiftning.  
Verifieer de lokale regelgeving.  
Vérifiez la législation locale.

**1. MAX. 16 Bar 232 Psi**

**2. MAX. 4 Bar 58 Psi**

**! Water - Wasser - Vand - Vatten - Water - L'eau**  
**! MAX 1 Minute - Minut - Minuut !**



VOLA 200M

Fitting instruction  
Montageanleitung  
Monteringsvejledning

Monteringsvægledning  
Montage hanleiding  
Manuel de montage

www.vola.com

200M\_V4\_40998506  
25-11-2022

5 705230 288055

Max.: 10 Bar/145 psi  
Max. 65°C, 150°F

Check the local legislation.  
Bitte die örtlichen Vorschriften überprüfen.  
Tjek de lokale regler.  
Kontrollera lokala föreskrifter  
Nazitten lokale regelgeving.  
Vérifiez la législation locale.

VR968:  
To be ordered separately.  
Werden separat bestellt.  
Bestilles separat.  
Beställs separat.  
Apart te bestellen.  
À commander séparément.

DE:  
Bitte separat beiliegende Anleitung für die Schallentkopplung VR972 beachten

200M & VR968:

Extension  
Verlängerung

Forlængerdele  
Förlängning

Verlengstukken  
Modification

|      |                          |      |
|------|--------------------------|------|
| min. | STANDARD                 | min. |
| max  |                          | max  |
| +10  | <input type="checkbox"/> | +10  |
| +20  | <input type="checkbox"/> | +20  |
| +30  | <input type="checkbox"/> | +30  |
| +40  | <input type="checkbox"/> | +40  |
| +50  | <input type="checkbox"/> | +50  |

DO NOT REMOVE

VR2019: 010, 020, 030, 040  
VR2021: 050  
VR2020: 080W  
VR2119: 010C, 020C, 040D  
050K, 070/R/S/W, 080/K/D/DK  
VR2219: 050A, 060A  
VR648: 060, 080ST

VR2019:  
VR2020: VR2119:  
VR2021: VR2219:

VR648:

Box till inbyggnadsblandare.  
Boks til indbygningsblander.  
Laatikko seinäasenteiselle sekoittajalle.  
  
Ingår inte i leveransen, köps separat.  
Ikke inkludert, kjøpes separat.  
Eivät sisälly tilaukseen, ostettava erikseen.

G1/2" Skvallerrör

\* +10 - STANDARD SVERIGE

VR2019, VR2119  
VR2020, VR2219  
VR2021

VR648

| T: VR2019/2020/2021/2119/2219 | T: VR648   | Y           |      |
|-------------------------------|------------|-------------|------|
| 3 - 15 mm                     | 3 - 19 mm  | 110 - 98 mm | Std. |
| 15 - 25 mm                    | 17 - 28 mm | 98 - 88 mm  | +10  |
| 25 - 35 mm                    | 27 - 38 mm | 88 - 78 mm  | +20  |
| 35 - 45 mm                    | 37 - 48 mm | 78 - 68 mm  | +30  |
| 45 - 55 mm                    | 47 - 58 mm | 68 - 58 mm  | +40  |
| 55 - 65 mm                    | 57 - 68 mm | 58 - 48 mm  | +50  |

|      |                 |  |
|------|-----------------|--|
| Std. | 26 mm<br>1"     |  |
| +10  | 36 mm<br>1 3/8" |  |
| +20  | 46 mm<br>1 3/4" |  |
| +30  | 56 mm<br>2 1/4" |  |
| +40  | 66 mm<br>2 1/2" |  |
| +50  | 76 mm<br>3"     |  |

Installation example  
Installationsbeispiel  
Installatie voorbeeld  
l'installation des exemple

Fitting of extension  
Montage von verlängerung

Montering af forlængerdele  
Montering av förlängning


Montage van de verlengstukken  
Montage des rallonges

VR2019+, VR2119+  
VR2020+, VR2219+  
VR2021+

12 mm


VR648+

24 mm



**2x13 mm** Lightweight wall  
Leichtwand  
Let væg


Lätta konstruktion  
Holle wandconstructie  
Construction légère



**1x15 mm**  
**1x18 mm**  
**1x20 mm**


Lightweight wall  
Leichtwand  
Let væg

Lätta konstruktion  
Holle wandconstructie  
Construction légère



**Masonry**  
Mauerwerk  
Murværk

**Murverk**  
Massieve wand  
Mur Plein









**2**

Test Pressure  
Prüfdruck  
testtryk  
Test tryck  
Test druk  
test de pression

Check the local legislation.  
Bitte die örtlichen Vorschriften überprüfen.  
Tjek de lokale regler.  
Kontrollera lokala föreskrifter.  
Nazitten lokale regelgeving.  
Vérifiez la législation locale.


**! Water - Wasser - Vand - Vatten - Water - L'eau**  
**! MAX 1 Minute - Minut - Minuut !**

**1.** MAX. 16 Bar 232 Psi  
**2.** MAX. 4 Bar 58 Psi










**8**

Do not cut the membrane  
Die Membran nicht schneiden  
Skær ikke membranen  
\* Skär inte membranet  
Snij het membraan niet door  
Ne coupez pas la membrane  
No cortar la membrana



NR28: VR20, VR22, VR269, VR273, VR295, VR388, VR3279, VR3279B, VR3279C  
 NR19: VR2A, VR22, VR665, VR1419  
 VR277K: VR22, VR269, VR277  
 VR1260: VR1259, VR1260, VR2251  
 VR1400: VR21, VR23, VR406, VR1902, VR2213

|                                                                                                                                                                                                       |                                                                                                                                                                                                               |                                                                                                                                                                                                                 |                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <p>400V</p>  <p>2927</p>                                                                                           | <p>400NV</p>  <p>400TV</p>  <p>2926</p> | <p>400FV</p>  <p>400RV</p>  <p>2927</p> | <p>400DV</p>  <p>2928</p> |
|  <p>1045</p>                                                                                                       |  <p>3003KB</p>                                                                                                             |  <p>3003</p>                                                                                                                | -                                                                                                              |
|  <p>3001, 001G</p>                                                                                                 |  <p>3001, 001G, 001</p>                                                                                                    |  <p>3001, 001G, 001</p>                                                                                                     |  <p>001G</p>              |
|  <p><b>vola</b><br/>Lunavej 2<br/>DK-8700 Horsens<br/>Tlf : + 45 7023 5500<br/>sales@vola.com<br/>www.vola.com</p> |                                                                                                                                                                                                               |                                                                                                                                                                                                                 | <p><b>Date</b><br/>May. 22</p> <p><b>Rev.</b><br/>9</p> <p><b>Sheet</b><br/><b>SB 3.2</b></p>                  |



vola

Lunavej 2  
DK-8700 Horsens  
Tlf : + 45 7023 5500  
sales@vola.com  
www.vola.com

**VOLA 200M**

Date  
May. 22

Rev.  
**3**

Sheet  
**SB 2.3**