




BK

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage





$$\begin{array}{l} \text{BK} \\ \text{BKA} \\ \text{BKB} \end{array} \quad \begin{array}{l} 1 - 4 + 5 - 15 \\ A1 - A4 + 5 - 16 \\ B1 - B3 + 5 - 16 \end{array}$$


BK_V1_40998626
31-01-2020










Ⓢ BK: 1, 2, 5, 7, 9






Ⓛ BK: 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 16







BK




BKA




BKB




5) BK-BKA-BKB 5, 6, 7, 8, 10, 11, 12, 13, 15, 16
Col. 40, 61, 64, 70




6




BK-BKA-BKB 14, 15, 16




BR-BKA-BKB 14, 15, 16



BK-BKA-BKB 3, 4, 9, 10, 11, 12, 13




BK-BKA-BKB 4, 6, 8, 10, 12




BK-BKA-BKB 14, 15, 16



BK-BKA-BKB 3, 4, 9, 10, 11, 12, 13, 14, 15, 16




BK-BKA-BKB 5, 6, 7, 8, 10, 11, 12, 13, 15, 16



BK-BKA-BKB 1, 2, 3, 4, 14 + A24

14 EN1717 Pipe interrupter
Rohrunterbrecher
Rørafbryder
Röravbrytare
Buisondebreker
Disconnecteur à encastrer

Not included.
Nicht enthalten.
Ikke inkluderet.
Ingår inte.
Niet meegeleverd.
Non inclus.



Extension: VR1599


15

Tiles: Fliesen: Fliser: Fliser: Tegels: Carreaux:	8 - 25 mm	Standard
	26 - 50 mm	VR1599

Standard:
M5 x 30




VR1599:
M5 x 50



16

⌒ BKA-BKB: BKMR3 & BKMR4

Box for drain - Alternative installation
Ablauf Kasten - Alternative installation
Overløbskasse - Alternativ installation
Avloppslåda - Alternativ installation
Afvoerbak - Alternativ installation
Boîte de déviation - Installation alternative




17

Data, 3 Bar (Max. 10 Bar):

		l/min.	Gal/min.
T1		10	2.6
090D/E	BK 5, 7, 10, 12:	20	5.3
	BK 6, 8, 11, 13:	25	6.6
	BK 15, 16:	25	6.6
A24	BK 1, 3:	15	3.9
	BK 2, 4:	19	5.0
	BK 14:	22	5.8

Max. 65°C, 150°F



NR7: VR2A, VR23, VR677
 VR691K: VR23, VR691
 VR692K: VR23, VR692



vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA BK2

Date
 Oct. 96

Rev.
 0

Sheet
 SB 66