


**VOLA HV1, HV3, HV4**


Fitting instruction  
 Montageanleitung  
 Monteringsvejledning  
 Monteringsvægledning  
 Montage hanleiding  
 Manuel de montage



HV1, HV3:  
 04/00020  
 04/00028







HV1, HV3	L	H	h
Std.:	114 mm 4 1/2"	120 mm 4 3/4"	27 mm 1"
+30:	114 mm 4 1/2"	150 mm 6"	56 mm 2 1/4"
/150:	150 mm 6"	120 mm 4 3/4"	27 mm 1"
+30/150:	150 mm 6"	150 mm 6"	56 mm 2 1/4"
+170:	114 mm 4 1/2"	290 mm 11 1/2"	197 mm 7 3/4"
+170/150:	150 mm 6"	290 mm 11 1/2"	197 mm 7 3/4"



**Data, 3 Bar:**

Max.	l/min.	Gal/min.
HV1/3:	5,0	1,3
HV4	9,0	2,0

Max. 70°C, 158°F






www.vola.com

HV1/HV3/HV4\_V3\_40999827




vola





HV1: Ø10  
 HV1JP: Ø10  
 HV1US: Ø3/8"  
 HV1Q: Ø3/8"

HV1US:



- VR277K: VR22, VR269, VR277
- \*VR17L4K: VR15P, VR16L4, VR17L (US-Standard)
- \*VR17L5K: VR15P, VR16L5, VR17L (Standard)
- \*VR17L9K: VR15P, VR16L9, VR17L (Japan Standard)
- \*VR17LSK: VR15P, VR16LS, VR17L
- VR297/L/M: VR20, VR22, VR269, VR273/L/M, VR277, VR294, VR295, VR296
- VR433: VR261, VR263, VR440, VR442, 2xVR444
- NR.10/L/M: VR20, VR22, VR273/L/M, VR294, VR295



**vola**  
 Lunavej 2  
 DK-8700 Horsens  
 Tlf : + 45 7023 5500  
 sales@vola.com  
 www.vola.com

## VOLA HV1

Date  
 Okt. 16

Rev.  
 6

Sheet  
 SB 21.1