



**VOLA RB1, RB3, RB4
VOLA SH1**

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvägledning
Montage hanleiding
Manuel de montage

RB1, RB3, RB4:



GODKENDT
TIL DRIKKEVAND



www.vola.com

vola

RB1- RB3 - RB4 - SH1 V4_40999835



5 703182 372600


Data, 3 Bar/43.5 Psi:

Max.	l/min.	Gal/min.
RB1/3/4:	5,0	1,3
SH1	27,0	7,1




Max. 70°C, 158°F


RB1




RB3




1 RB1 + RB3




RB4




SH1




2 RB4 + SH1




3




4








5




6







RB3: Ø10
 RB3JP: Ø10
 RB3US: Ø3/8"
 RB3Q: Ø3/8"



RB3US:



- | | |
|-----------|-------------------------------------|
| NR.7/L/M: | VR2A, VR677/L/M |
| *VR17L4K: | VR15P, VR16L4, VR17L (US Standard) |
| *VR17L5K: | VR15P, VR16L5, VR17L |
| *VR17L9K: | VR15P, VR16L9, VR17L |
| *VR17LSK: | VR15P, VR16LS, VR17L |
| VR433: | VR261, VR263, VR440, VR442, 2xVR444 |
| VR693K: | VR23, VR693 |



VOLA A/S
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 Fax: + 45 7023 5511
 sales@vola.com
 www.vola.com

VOLA RB3

Dato

Okt. 16

Rev.

6

Blad

SB29.1