VOLA 4812	1/4
	Date:
	Client:
	Project:

































VOLA 4812 2/4

## 4812


Build-in basin tap with on-off sensor for 'hands free' operation. Sensor aligned with wall. Valve box VR2617 included.4812UP = Valve 4800, sensor cable VR509.4812AP = 160 mm spout 010, sensor VR510, As 4811, but with  $60 \times 231 \text{ mm}$  cover plate 4002L.

Ada approved.

## Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
4812	(l/min)	2.9	4.1	5.0	5.0	5.0
4812 <sup>1)</sup>	(l/min)	2.6	3.7	4.5	4.5	4.5


<sup>1)</sup> USA Standard




## **Available in colors**


Available iii coloi3			
	Color 20, Brushed chrome		
Color 02, Grey	Color 21, Carmine red		
Color 04, Light blue	Color 25, Pink		
Color 05, Orange	Color 27, Matt black		
Color 06, Light green	Color 28, Matt white		
Color 08, Yellow	Color 40, Brushed stainless steel		
Color 09, Dark grey	Color 60, Black		
Color 12, Mocca	Color 61, Brushed black		
Color 14, Bright red	Color 63, Copper		
Color 15, Dark blue	Color 64, Brushed Copper		
Color 16, Polished chrome	Color 65, Gold		
Color 17, Gloss black	Color 68, Silver		
Color 18, White	Color 70, Brushed Gold		
Color 19, Natural brass			

VOLA 4812 3/4










**4002L** Two-hole plate 60 x 231 mm. Holes Ø30 mm and Ø38 mm for 4800.




## 4800


Build-in valve with on-off sensor for 'hands free' operation. Valve box for electronic mixer, VR2617 included.



VOLA 4812 4/4







54 mm 2 1/8" 3/8" US: 9/16"

65 mm 2 1/2"

3/8"

0