VOLA 4921VSX	1/5
	Date:
	Client:
	Project:







VOLA 4921VSX 2/5

4921VSX


Build-in basin mixer with on-off sensor for 'hands free' operation. For vertical mounting. Sensor aligned with wall. Valve box VR2618 included. 4921VSXUP = Mixer 4900VSX, sensor cable VR509. 4921VSXAP = Handle NR41, sensor VR510, 225 mm spout 020, 60 mm circular flange 001, 3001, VR512.


Ada approved.

Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
4921VSX	(l/min)	2.9	4.1	5.0	5.0	5.0
4921VSX 1)	(l/min)	2.6	3.7	4.5	4.5	4.5

¹⁾ USA Standard






Available in colors

Available in colors				
	Color 20, Brushed chrome			
Color 02, Grey	Color 21, Carmine red			
Color 04, Light blue	Color 25, Pink			
Color 05, Orange	Color 27, Matt black			
Color 06, Light green	Color 28, Matt white			
Color 08, Yellow	Color 40, Brushed stainless steel			
Color 09, Dark grey	Color 60, Black			
Color 12, Mocca	Color 61, Brushed black			
Color 14, Bright red	Color 63, Copper			
Color 15, Dark blue	Color 64, Brushed Copper			
Color 16, Polished chrome	Color 65, Gold			
Color 17, Gloss black	Color 68, Silver			
Color 18, White	Color 70, Brushed Gold			
Color 19, Natural brass				

VOLA 4921VSX 3/5




VOLA 4921VSX 4/5



4900VSX

Build-in basin mixer with on-off sensor for 'hands free' operation, with temperature regulation, mixer to the right. Valve box for electronic mixer, VR2618 included.









NR41

Temperature control handle for wall-mounted electronic mixer 4900.






VR2618 Valve box.



VOLA 4921VSX 5/5



60 mm circular flange. Hole Ø38 mm for 4300, 4800 and 4900.