

--

Date:
Client:
Project:




5144DT8

¾" thermostatic mixer.5144DT8 UP = Thermostatic mixer 5100.5144DT8
 AP = Handle NR51, handle NR52, 200 mm bath spout with diverter for
 hand shower 040D, four-hole plate 5004, hand shower holder for low
 mounting T8.

Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
040D	(l/min)	15.0	21.2	26.0	30.0	30.0
T2	(l/min)	6.6	9.4	11.5	13.3	14.8




Available in colors

	Color 20, Brushed chrome
Color 02, Grey	Color 21, Carmine red
Color 04, Light blue	Color 25, Pink
Color 05, Orange	Color 27, Matt black
Color 06, Light green	Color 28, Matt white
Color 08, Yellow	Color 40, Brushed stainless steel
Color 09, Dark grey	Color 60, Black
Color 12, Mocca	Color 61, Brushed black
Color 14, Bright red	Color 63, Copper
Color 15, Dark blue	Color 64, Brushed Copper
Color 16, Polished chrome	Color 65, Gold
Color 17, Gloss black	Color 68, Nickel
Color 18, White	Color 70, Brushed Gold
Color 19, Natural brass	




040D

200 mm bath spout with diverter for handshower. Dimension Ø24 mm. Incl. hand shower T2.




5004

Four-hole plate 60 x 309 mm (for 5100 w. T4). Holes Ø39, Ø39, Ø30 and Ø33 mm.




5100

Thermostatic mixer with fixed outlet socket. 3/4" connection to copper, steel, iron or pex pipe work.







NR51
On/off handle for series 5000.



NR52
Thermostatic handle for series 5000.



T2
Hand shower with 1.5 m hose.





T8
Hand shower holder for T2 for low mounting.

