

|  |
|--|
|  |
|--|

|          |
|----------|
| Date:    |
| Client:  |
| Project: |




**COMBI-30**

Kneipp hose and build-in stop valve.  
 Combi-30UP = Single valve 2900.  
 Combi-30AP = Handle NR17, kneipp hose 070W, 60 mm circular flange 001, 2 pcs. 60 mm circular flanges 001G.  
 Requires a minimum of 20 l/min.

**Flow**

|          | Bar:    | 1.0  | 2.0  | 3.0  | 4.0  | 5.0  |
|----------|---------|------|------|------|------|------|
| COMBI-30 | (l/min) | 23.1 | 32.7 | 40.0 | 46.2 | 51.6 |





**Available in colors**


|                           |                                   |
|---------------------------|-----------------------------------|
| Color 02, Grey            | Color 21, Carmine red             |
| Color 04, Light blue      | Color 25, Pink                    |
| Color 05, Orange          | Color 27, Matt black              |
| Color 06, Light green     | Color 28, Matt white              |
| Color 08, Yellow          | Color 40, Brushed stainless steel |
| Color 09, Dark grey       | Color 60, Black                   |
| Color 12, Mocca           | Color 61, Brushed black           |
| Color 14, Bright red      | Color 62, Deep black              |
| Color 15, Dark blue       | Color 63, Copper                  |
| Color 16, Polished chrome | Color 64, Brushed Copper          |
| Color 17, Gloss black     | Color 65, Gold                    |
| Color 18, White           | Color 68, Silver                  |
| Color 19, Natural brass   | Color 70, Brushed Gold            |
| Color 20, Brushed chrome  |                                   |




**001**  
60 mm circular flange.  
Hole Ø30 mm.




**001G**  
60 mm circular flange. Hole Ø33 mm.




**070W**  
Kneipp hose.  
Requires a minimum of 20 l/min.





**2900**  
Single valve with fixed outlet.



**NR17**  
Operating handle for 600, 700, 800, 900, 1500, 2800, 2900, S20, S21, S40, S42 incl. variants. Ø40 mm.

